

Oldebjerg Trading ApS Industrivej 2 DK-4180 Sorø Order no. 755224-2 Page 1 of 3

Appendices

Initials UHI/SCL

Gregersensvej DK-2630 Taastrup Tel. +45 72 20 20 00 Fax +45 72 20 20 19

info@teknologisk.dk www.teknologisk.dk

€ 1235 EU Notified Body

Test Report

Material: 1 unit off Oldebjerg cover 30x30 cm, type OT 222212.534, class D400 were

submitted for testing. The material of the channel is iron.

Sampling: Oldebjerg has produced the cover, see also the picture at page 2.

Method: The Oldebjerg cover were submitted for testing in accordance with DS/EN 124-

1:2015, clause 8.2 and 8.3, Permanent set and maximum load.

Period: The testing was carried out 26th of April 2017, see the pictures from the test

at page 3.

Result: Procedure load-test: The unit was placed into a calibrated compressive test

machine calibrated in accordance with ISO7500-1:2004. The loads were then

applied hydraulically through a test block.

The cover has been tested to 400 kN:

The cover has been tested to 400 kW.			
Name	Class and	Permanent	Permissible
	Applied Load	set, 2/3 of	permanent set
	(kN)	40 kN, (mm)	(mm)
Oldebjerg cover, type	D		
- OT 222212.534	400	0,5 mm	2,0

The unit showed no failure at 400 kN that might influence the load bearing capacity of the unit.

Conclusion: The Oldebjerg cover, type OT 222212.534 has passed the load bearing requirements in DS/EN 124-1:2015, clause 8.2 and 8.3 for covers.

Storage: The sample will be destroyed after 1 month if nothing else has been agreed in

writing.

Terms: The test has been performed according to the rear side conditions, which are ac-

cording to the guidelines laid down by DANAK (The Danish Accreditation). The test-

ing is only valid for the tested specimen.

The test report may only be extracted, if the laboratory has approved the extract.

27th of April 2017, Danish Technological Institute, Pipe Centre, Taastrup

Test responsible Stig Clausen

Co-signatory Ulrik Hindsberger

Ullrih Hindsberger



Journal./report 755224-2

no. Page Initials

2 of 3 UHI & SCL



Picture of the product





Journal./report 755224-2 no.
Page 3 of 3

Initials

3 of 3 UHI

Pictures from the test



